


Genius

LN	-	-	-	-	-	-	-	-
----	---	---	---	---	---	---	---	---


Genius	SHAPE	VERSION	TRIM	FRAME FINISH	REFLECTOR FINISH	LED CHIP	CRI/LUMENS	CCT	BEAM ANGLE	DIMMING	ACCESSORIES
LN75	R Round	26	QS Microflange QT Trimless Drywall	B Black W White	B Black W White G Gold	B Bridgelux	90 90+ CRI 08 Watts Lumens Divd.-742	27  2700K 30  3000K 35  3500K 40  4000K	25 25° 35 35°	CMEM55 On/Off; Triac PhaseDim; 120VAC KIG On/Off; Triac Phase Dim; 120/277VAC *Remote Placed	BRKT-R25 Non-IC Bracket for Three Lights *For LN75-R26QS BRKT-R29 Non-IC Bracket for Three Lights *For LN75-R26QT *For more details,pls refer to page 3
							97 97+ CRI 08 Watts Lumens Divd.-536	15 15°			
							Dim To Warm 90 90+ CRI 08 Watts Lumens Divd.-520	1830  1800-3000K	25 25° 35 35°		
							90 90+ CRI 08 Watts Lumens Divd.-614 *External 5CCT Selector	2765A  2700K 3000K 4000K 5000K 6500K	15 15° 25 25° 35 35°		
TUNABLE WHITE								2765  2700-6500K		*Dali 2ch Driver Remote Placed	
LN75-R26QS-W-W-B-90-35-35											

Photometry


Beam angle: 35°
Delivered Lumens: 742 lumens
CCT: 4000K
CRI: 90
Power: 8W
Efficacy: 92.7lm/w



Beam angle: 25°
Delivered Lumens: 632 lumens
CCT: 4000K
CRI: 90
Power: 8W
Efficacy: 79lm/w



Beam angle: 15°
Delivered Lumens: 464 lumens
CCT: 4000K
CRI: 97
Power: 8W
Efficacy: 58lm/w



ACCESSORIES

Brackets for New-Construction




BRKT-R25

For P. GEEK 0" trim

Cut out:

Round: Ø1" (Ø25mm)



Brackets for New-Construction




BRKT-R29

For P. GEEK 0" trimless

Cut out:

Round: Ø1 1/4" (Ø29mm)





Remark

Tailored brackets are available with a reasonable surcharge, details as below



- The customized bracket's dimensions are still the same as the existing ones, 600*200mm
- Hole sizes can be customized within the range of 25-100mm
- Holes quantity can be indicated, 1-7pcs
- Holes' positions on the bracket can be done as requests

For more information, please get in touch with XRZLux sales.




LN75-R26QS



LN75-R26QT



Microflange



Trimless Drywall

